## EGYPTIAN SUGAR & INTEGRATED INDUSTRIES COMPANY

Fax00202 23934558-0223920509 Web. Site: www.siicegypt.com



Tel.0020 23929077&138 E-mail:purchasing@siicegypt.com

### 12 Gawad Hosni St. down town Cairo/Egypt

Cairo, 16.12.2023

Subject: - Tender No. 5000/3644 (ONE ENVELOPE)

- Due date 18.01.2025 at 12 O'clock Cairo local time.
- 2.9 TONS SODIUM SELENITE.
- 470 K.G COPPER SULPHATE.
- 25 K.G ZINC SULPHATE.
- 115 K.G BETA ALANINE.
- 470 K.G INOSITOL.
- 150 K.G SODIUM BOROHYDRIDE.
- PRICE OF TENDER DOCUMENTS SET L.E. 575.-

#### Dear Sirs,

We shall be much obliged to receive on due date your best offer in form of proforma invoice for the supply of:

- 2.9 TONS SODIUM SELENITE.
- 470 K.G COPPER SULPHATE.
- 25 K.G ZINC SULPHATE.
- 115 K.G BETA ALANINE.
- 470 K.G INOSITOL.
- 150 K.G SODIUM BOROHYDRIDE.

Complete tech. specification as per attached list.

## - Your offer should state the following terms & conditions:

- 1- Itemized unit and total price:
  - \* FOB your port of shipment including seaworthy packing .
  - \* C&F , CIF ALEX. SEAPORT including airworthy / seaworthy, packing , kind of package in case of wooden must be fumigated and stamped according to international standard ISPM 15.
- 2- All main port of shipment accepted from our side in case contract except (REJIKA, CONSTANZA seaport Not accepted from our side).
- 3- Country of origin:
- 4- Delivery time: The shortest delivery time will be consider.
- 5- Prices validity for 90 days of tender due date and in case of order to be valid till completing shipment without any increase.

- 6- Complete technical data sheet in (English Language) for each offered item must be accompanied with your offer.
- 7- 2% Bid bond (Bank LG) or equivalent must be submitted with your prices offer valid for 3 months of its issuance date and such LG to be confirmed by first class bank in ARE as well as sample about 1 kg for test and trail.
- 8- Number's of packages. Measurements cubic volume and gross / net weight for each package.
- 9- The freight per ton/container ...... etc and total:
  - air freight
  - sea freight.

### N.B.:

- Any offer not comply with a/m terms and conditions specially the required bid bond (bank LG) and sample about not less than 1 k.a for trail and test will be rejected.
- All costs of preparing and submitting the offers including the costs of the bidders specialists and representative in and outside Egypt to be paid and borne the by bidder.
- ESIIC has the right to partly award and/or cancel the tender.
- 4) The bidder has no right to refer to ESIIC for any bidding costs in case the tender awarded to another bidder or cancelled.

We hope to receive your best offer on due date accompanied with the required bid bond.

### - In case of order:

- 1- Payment: will be by irrevocable (confirmed LC as your option) payable against the following shipment documents:
  - a) 3 originals plus 5 copies of signed commercial invoice to be certified from your chamber of commerce and Industry, one original to be authenticated from EGYPTIAN Consulate at your end, Said invoice including:-
    - your full name , address , fax No. and E-mail and :-
    - Product name , part No. , name plate and manufacturer name.
    - Country of origin.
    - Gross / net weight.
  - b) 5 sets of weight plus packing list.
  - c) Complete set of clean B/L plus 3 non negotiable copies made to the order of LC opener bank notify E.S.I.I.C.

d) original plus 3 copies of certificate or origin, the original only to be authenticated by the EGYPTIAN Consulate at the vendor end on your account in case the goods are originated out of Europe.

e) Two photo copies of Eur1 certificate – the certified original to be issued, signed and stamped by the competent authority and

by international courier to ESIIC directly.

One original and 3 copies of analytical certificate the original only to be certified from chamber of commerce and authenticated by Egyptian consulate at your end.

g) Health certificate indicating that shipped products is produced and used in the country of origin & does not effect human health while incorporated into food and beverages. Said certificate also indicate the following:-

Production date.

Expiry 2 years from date of production.

analysis, composition, max dose in the finished products as well as date of production of ordered materials and containing:-

- all chemical analysis for the ordered product and patch No.
- Safety data sheets.
- Usage and dosage for the ordered product.
- Nonclear radiation report stating that the level of radiation activity in the supplied substance is within the International Permissible Limits and that supplied substance is not produced in areas contaminated with nuclear radiation, the original only to be authenticated by THE EGYPTIAN CONSULATE at your end.
  - h) One original and 3 copies of usage and dosage certificate (mean that the user must ensure the usage level in order to comply with local regulation) the original only to be authenticated by the EGYPTIAN Consulate at he vendor end on your account.

Insurance policy covering all kinds of risks from warehouse to Warehouse without any excess (in case CIF contract).

j) Nonclear radiation report stating that the level of radiation activity in the supplied substance is within the International Permissible Limits and that supplied substance is not produced in areas contaminated with nuclear radiation, the original only to be authenticated by THE EGYPTIAN CONSULATE at your end.  Packing in new Plastic Drums or paper bags each 25 - 50 kgs and placed on fumigated wooden pallets and to be shipped inside containers 20". - Each bag must be marked with label in

ARABIC / ENGLISH Language as follows:-

ARABIC / ENGLISH Lunguage us jono	ح.م.ع - اسكندريه - شركة السكر و الصناعات التكاملية المصرية
A.R.E./ALEXANDRIA/E.S.I.I.C	
ORDER:	امر توريد رقم :
FACTORIES	المصانع :
Product Name:	الصنف :
PRODUCTION DATE	تاريخ الإنتاج:
VALIDITY: 2 YEARS from date of Production.	الصلاحية سنتان من تاريخ الإنتاج
Net weight	الوزن الصافي
Store in dry and cold place	شروط التخزين: مكان جاف جيد التهويه
Seller's Name:	اسم البانع :-
ORIGIN:	يك الشنما :

- 3 All bank chares including LC confirmation fees outside A.R.E on your account.
- 4 All bank charges in and outside Egypt relating to the performance bank guarantee to be paid and borne by the vendor / contractor.
- 5- Your prices to be fixed and confirmed without any increase whatever until completing shipment and your contractual obligation.
- 6- 10 % performance Bank LG valid for 6 months from the date of using or 9 months from date of last B/L which ever comes earlier to be submitted within 10 days from LC opening date.
- 7- In case C&F contract, shipment must be on a ship its age not more than 30 years and to be classified and registered according to Lloyds registers or an equivalent international register.
- 8 The order will be issued on FOB base, ESIIC has the right to increase its amount by the freight offered from the bidder and amend the base of contract to be C&F instead FOB, within one month of order's date.
- 9- Shipment to be done after giving you notice that your samples accepted, so upon receive the order you must send us a sufficient trail sample free of charge.

10 - Penalty of delay:

In case the supplier fails to deliver in due date the deliveries in whole or part the E.S.I.I.C. shall be entitled to inflict a penalty of 1% (one percent) of the total price of the delayed deliveries for every week or part of week The total Penalty shall not exceed 5% (five percent) of the total price After 5 weeks of Delay the E.S.I.I.C. has the right to cancel the order and forfeit the LG.

### N.B.:

- 1) Any offer not comply with a/m terms and conditions specially the required bid bond (bank LG) and sample about not less than 50 1 k.g for trail and test will be rejected.
- All costs of preparing and submitting the offers including the costs of the bidders specialists and representative in and outside Egypt to be paid and borne the by bidder.
- 3) ESIIC has the right to partly award and/or cancel the tender.
- 4) The bidder has no right to refer to ESIIC for any bidding costs in case the tender awarded to another bidder or cancelled.
- Customs duties, customs exemption will be taken into account when comparing the prices of the competitors.
- 6) The supplier is obliged to send the original shipping documents in conformity with the purchase order through his bank to ESIIC bank before the arrival of the vessel to Egyptian seaport as will as must provide ESIIC with relative courier No., in case of violation the supplier shall bear demurrage, storage fees and any other expenses resulting from this delay. in case of arrival of the vessel before receiving the original

shipping documents to ESIIC bank the shipping company must accept shipping guarantee for clearance the goods.

We hope to receive your best offer on due date accompanied with the required bid bond.

Encl.: (6) page MY/MS

# SPECIFICATION OF Sodiery Solvente FOOD GRADE

Product Name	Sodium Selenite		
Chemical Name	: Disodium selenite		
Grade	Food grade		
Molecular formula:	Na,SeO,		
Molar mass	: 172.94 g/mol		
CAS NO.	: 10102-18-8	44.	
Appearance (Form)	: Powder or Crystals		
Appearance (Color)	: White to Off White cry	stalline powder	
Appearance (color)	Chemical propertie		
	Specifica		
Item	: % Min.	% Max.	
Purity	99		
Selenium Content	44.9	46.3	
Chloride (CI)	- 4 EMPs	0.1	
Iron (Fe)	in the second	0.005	
Sulphate (SO4)		0.2	
Heavy Metals		0.001	
Lead - Pb		0.00005	
Arsenic - As		0.0001	
Cadmium - Cd		0.0005	
Mercury - Hg		0.00001	1
INCICALLY 1.8	Physical Properties	5	4.
pH (10% solution,20 °C)			
solubility	: Freely soluble in water		
Loss on Drying	: ≤ 0.5%		
Water insoluble matter	: ≤0.1 %		
Ash	: ≤1.0		
Melting point	: 350° C		
	Microbiological Lim	its	
Total plate count	: ≤1000 CFU/g		
Yeasts & Moulds	: ≤100 CFU/g		
Coliforms	: ≤10 CFU/g		
Salmonella	: Negative/25g		
Staphylococcus aureus	: Negative/25g		
Shigella	: Negative/25g		
Singeria			

CERTIFIED KOSHER

MANAY

CERTIFIED HALAL

	- 1	y - real and a second s	JLPHATE FOOD GRADE		
Name	:		encanyurate		
Grade	1:	Food grade			
Molecular formula:	1:	CuSO <sub>4</sub> .5H <sub>2</sub> O	2		
Molar mass	:	249.685 g/mol			
CAS NO.	1:	7758-99-8			
Appearance	1:	Blue light blue cr	ystal or powder		
		Chemical proj	perties		
14	1.	Speci	fications		
Item	1:	% Min.	% Max.		
Purity	:	98			
Copper - Cu	:	25	1 1 2		
Iron - Fe	:		0.03		
Zinc - Zn	:		0.03		
Lead - Pb	1;		0.005		
Arsenic - As	1:		0.0002		
Cadmium - Cd	:	_	0.0003		
Nickel - Ni	1:		0.0005		
Mercury - Hg	:	元(3)	0.0001		
Substances Not Precipitated by Hydrogen Sulfide, w/%		33.	0.3		
		Physical Prop	erties		
pH 5%	1:	4 +/- 0.5	4 +/- 0.5		
Insoluble (%)	:	0.5 max			
Humidity (%)	1:	1 max			
Glass size (mm)	1:	<1	<1		
Anti - caking (%)	1:	0.15 max			

MASS AND



## SPECIFICATION OF Zinc sulphate FOOD GRADE

Name : Zinc sulphate 7-hydrate

Grade : Food grade Molecular formula : ZnSO4.7H2O Molar mass : 287.54 g/mol

CAS NO. : 7446-20-0

form GRANULES OR CRYSTALLINE POWDER

Appearance : Colourless or white efflorescent crystals /crystalline

powder

Chemical properties

Specifications

Item % Min. % Max. Purity 99 Zinc - Zn 22.6 Chloride (CI) 0,003 Iron - Fe 0,005 Lead - Pb 0.00005 Arsenic - As 0.0003 Cadmium - Cd 0.0002 Selenium - Se 0.003 Mercury - Hg 0.0001

earths
Acidity
Passes test.

Physical Properties

pH 5%	:	4 - 6
solubility	:	H₂O soluble
Insoluble (%)	:	0.1 max
Humidity (%)	:	1 max
Melting Point ·		100 °C, loses 7H2O at 280°C.

MASSAS

Alkalis and alkaline-

#### SPECIFICATION OF Beta Alamine FOOD GRADE

Product Name : Beta-Alaning

Chemical Name : 3-Aminopropionic acid

Grade : Food Grade
Molecular formula: : C<sub>1</sub>H<sub>2</sub>NO<sub>2</sub>
Molar mass : 89.09
CAS NO. : 107-95-9

form : White crystals or crystalline powder

Appearance : Colorless crystalline needles

Chemical properties

Specifications Item % Max. % Min. Purity 99 0.04 Chloride (CI) 0.003 Iron (Fe) 0.05 Sulphate (504) Ammonia (NH4) 0.02 0.002 Heavy Metals Lead - Pb 0.0003 Arsenic - As 0.0001 Cadmium - Cd 0.0001 0.00001 Mercury - Hg

Phy	/sica	Pro	pert	ies
A 4.4			Ja 1 -	

pH (1.3% solution)	:	6.5 - 7.5
solubility	:	Soluble in water; Insoluble in ether and acetone
Loss on drying	:	≤ 0.5%
Ash	:	≤ 0.2%
Melting Point	:	197 - 202°C
Odor	:	Characteristic
Mesh Size	1	100% through 80mesh size
		Microbiological Limits

#### Microbiological Limits

Total plate count	:	≤1000cfu/g	1004		
Yeasts & Moulds	:	≤100cfu/g			
E. Coli	:	Negative/g			
Salmonella	:	Negative/25g			
Staphylococcus aureus	:	Negative/g			

MASSAS

SPECIFICATION OF Invalid FOOD GRADE

Product Name : Inositol

Chemical Name : Hexa hydroxy cyclohexane

Grade Food grade
Molecular formula: C<sub>0</sub>H<sub>12</sub>O<sub>0</sub>

Molar mass 180.16 g/mol

CAS NO. 87-89-8

form : Solid crystal or powder

Appearance : White crystalline powder

Chemical properties

Specifications

Item % Min. % Max. Purity 99 Chloride (CI) 0.005 Iron (Fe) 0.0005 Sulphate (504) 0.006 Heavy Metals 0.0005 Lead - Pb 0.00005 Arsenic - As 0.0003 Cadmium - Cd 0.0001

Physical Properties

pH (10% solution,20	°C) :	5 – 7	
solubility	:	Soluble in water	
Humidity (%)		≤0.5%	
Loss on drying	:	≤0.5%	
Ash	:	≤0.1%	
Melting Range	:	224.0-227.0 °C	······································
Taste	:	Sweet taste	
Odor		odorless	
		Microbiological Limits	

		oud!!css	
		Microbiological Limits	
Total plate count	:	≤1000cfu/g	
Yeasts & Moulds	1:	≤100CFU/g	A STATE OF THE PARTY OF THE PAR
E. Coli	1:	Negative	4
Salmonella	:	Negative	
Staphylococcus aureus	:	Negative	
		Assessment of the second	the same terms and the same terms are the same terms and the same terms are the same term

CERTIFIED HALAL CERTIFIED KOSHER

MASSA)

Mercury - Hg

0.00001

## EGYPTIAN SUGAR & INTEGRATED INDUSTRIES COMPANY (E.S.I.I.C) INDUSTERIAL PRODUCTION AFFAIR ISO 9001 & 14001 CERTIFIED

# SPECIFICATION OF Sodium Borohydride

# PROPERTIES:

- Assay

: 97 % min.

- Odour

: odourless

- Colour

: white to grey white

- Molecular weight

: 37.84

- Denisty gm/cm<sup>3</sup>

: 1.074

- Solubility in water 2: 55 % ( wt/wt) at 25 °C

- Solubility in ethanol : 3.2 % ( wt/wt) at 25 °C

- Soluble in alkaline medium

HAWAMDIA - GIZA

TEL: 38113811

FAX: 38113301

E-MAIL: 1\_PROD\_AFF@SHCEGYPT.COM