

EGYPTIAN SUGAR & INTEGRATED INDUSTRIES COMPANY

Fax 00202 23934558-0223920509

Web. Site: www.siicegypt.com



Tel.0020 23929077&138

E-mail:purchasing@siicegypt.com

12 Gawad Hosni St. down town Cairo Egypt/

Cairo, 9.5.2023

Subject: - Tender No. 5000/3430 (two envelopes)
- Due date 16.6.2023 at 10 O'clock Cairo local time.

- SPEED VARIATORS**
- PRICE OF TENDER DOCUMENTS SET L.E. 347.-**

Dear Sirs,

We shall be much obliged to receive on or before a/m due date your two envelopes as follows:-

FIRST a) ENVELOPE (A) :- including:-

1-Technical offer , one original plus two copies , for the supply of:

- SPEED VARIATORS**

Complete technical specification as per attached Annexed list.

Technical offer should state & include the following :

1-1) Detailed specifications and pre-qualification's documents in the same field (specially Esiiic sugar's company).

1-2) Complete catalogues , pamphlets in English Languages including relevant technical specifications.

1-3) Country of origin :

1-4) Port of shipment Name , taking into your consideration that (REJKA seaport or CONSTANZA seaport Not accepted from our side in case contracted FOB seaport).

1-5) Terms of payment : payment will be through LC covering the total value of goods and payable as follows :

*** 80% against shipping documents.**

*** 20% retention money to be paid against the original of report of successful using at site.**

1-6) The shortest delivery time will be considered.

1-7) Full name , address , e-mail, Tel & Fax No. of your Egyptian agent (if any), they must submit the following documents :-

a- Form of 14 C from C.E.O.I.C

Register on commercial Archives.

Register on tax Archives.

Register on Added tax Archives.

The 2 % Bid Bond:

2/1) *In form bank guarantee to be issued and confirmed in the same currency of your offer.
(in case the equivalent of Egyptian pound, to be increased by 20 %).*

OR

2/2) *In cash at the same currency of your offer
(in case the equivalent of Egyptian pound increased 10 %).*

The original 2 % Bid Bond bank guarantee to be presented in a separate envelope (C) but its copy (after deleting the amount) to be attached with your offer envelope (A).

The 2 % Bid Bond bank guarantee to be confirmed from first class bank in Egypt and extended by you without an application from us.

Second: b) ENVELOPE (B):- Including:

Your priced offer which should state the following :-

1- Itemized unit and total price on :

** FOB your port of shipment. (FOB REJIKA or CONSTANZA seaport Not accepted from our side).*

** C&F basis ALEX. /Egypt.*

**Your price must include the costs of fumigation and stamping the wooden package according to the international standard if wooden packages will be used.*

2- Gross/net weight and volume also the kind of package which will be used and if shipment will be effected in container or not.

3- Shortest delivery time.

4- Prices validity to be 4 months minimum.

5- Payment will be effected through (confirmed or unconfirmed as your option) , irrevocable LC covering the total value of the goods and payable as follows:-

5/1- 80 % of the good's price against the following shipment documents :-

a) 2 originals (& 2 copies) of signed invoice illustrated as per order, one original only to be certified by your chamber of commerce and the Egyptian consulate at your end.

b) 5 sets of weight & packing list.

c) Complete set of clean B/L plus 3 non negotiable copies made to the order of LC opener bank and notify E.S.I.I.C.

d)original & 3 copies of certificate of origin , original only to be certified from chamber of commerce and authenticated from Egyptian consulate at your end.

e) One original plus two copies of Eur 1 certificate - the certified original to be issued , signed and stamped by the competent authority and sent by international courier to ESIIC directly.

Original and three copies of test work certificate.

(f) - For goods of EU origin :

In case origin of the goods is a country not the country of shipment, i.e. shipment effected through a port of a country not the country of the origin,

< CERTIFICATE ON DIRECT CONSIGNMENT >

to be presented with shipping documents. such certificate to be

issued , signed and stamped by the authorized competent.

-3-

- g) *Test work's certificate in triplicate issued by the manufacturer.*
- h) *Supplier's written evidence confirming that copy of: B/L , commercial invoice , packing list and original of Eur 1 certificate have been sent to the Buyer's by Courier within 5 days from date of B/L.*
- 5/2- *20% retention money to be paid against the original of report of successful operation at site signed with banking signature by the authorized person on ESIIC.*

SECOND: GENERAL TERMS AND PROCEDURES.

ESIIC will receive the three envelopes on the due date of the tender.

ESIIC has the right to open on due date envelope (A) only for study and keep envelope (B) to be opened for the bidders their technical offer accepted and who presented the required bid bond.

During period of technical study , ESIIC will ask some Clarifications and or technical completions.

ESIIC has the right to open envelope (B) at or without Attendance of the bidder's representative.

N.B.: *1) Any bid received after deadline for submission of bids prescribed by ESIIC as well as any offer submitted not accompanied with 2 % bid bond will be rejected.*

2) All costs of preparing and submitting the offers including the costs of the bidders specialists and representative in and outside Egypt to be paid and borne the by bidder.

3) ESIIC has the right to partly award and/or cancel the tender.

4) The bidder has no right to refer to ESIIC for any bidding costs in case the tender awarded to another bidder or cancelled.

5) Advance payment not accepted from our side as we can't transfer any Money in advance according to regulation and instructions issued from central Bank of Egypt.

5) In case of order:-

5-1) All bank charges of LC outside ARE including confirmation fees on supplier's account i.e. only bank charges inside ARE on ESIIC.

5-2) All bank charges of LG in & outside ARE will be on supplier's account.

5-3) Commission of the Egyptian agent will be deducted from the total order value to be paid to the agent through his account in LE by opener bank (i.e. only net value of the order will be transferred to supplier).

5-4) Prices to be firm without any change whatsoever until completing shipment and undertaking all contractual obligations .

The performance bank guarantee, amounting 10% of the total value of the order and valid for 18 months from date of successful taking over test, to be presented within 15 days of

opening the relative LC.

5-6) Short supply: *In case of any short supplied items or found defective , your company will replace them at the site (E.S.I.I.C) CIF basis free of charge duly packed in suitable packing without any delay.*

5-7) *In case shipment inside containers the demurrage period not less than 30 days at port of discharge to avoid any penalties applied.*

5-8) *If we don't receive any objection from your side regarding the order and its conditions (technical and commercial clarifications) within 7 days max. from date of receiving it company ESIIC will be considered as an acceptance of order and all its*

conditions from your side and complete all formalities accordingly.

** An additional points must be taken into your consideration in case of order:-*

- 1) Detailed packing list showing contents of each package in case shipped by container packing list should show No. of package and its serial in each container also contents of each package.*
- 2) 2 sets of original catalogues in English languages , all tech. data and the operation's manual instruction for the required machine.*
- 3) In case shipping inside LCL container.*

** Mentioned volum in B/L.*

Amount of invoice for the order and its component should be lump sum.

Two copies of beneficiary fax shipping notices sent to the applicant as follows:

5/1) First notice: *Within 5 days before loading commencement showing name , age and flag of the vessel , number and volume of package.*

5/2) Second notice: *Within 2 working days from completing loading , indicating actual packages and weight loaded , departure date , expected date of arrival to discharge port also stating full name and address of the vessel agent at discharge port.*

6): - Penalty of delay: -

In case the supplier fails to deliver on due date the deliveries in whole or in part the E.S.I.I.C shall be entitled to inflict a penalty of 1% (one percent) of the total price of the delayed deliveries for every week or part of week. After 5 weeks of delay the E.S.I.I.C has the right to cancel the order and forfeit the LG, also ESIIC has the right to refer to the contractor by any damage and losses result from his failure of carrying out his contractual obligations.

Awaiting your offer, Dear sirs.

Yours Faithfully

SH

كشف مواصفات مغيرات السرعة المطلوبة للمصانع موضح به أوامر التوريد التي تم إلغائها و الطلبات الجديدة

Item	QTY	Specification	Factory	Order
1	1	High torque Frequency converter 60 KVA Input volatage.: 3 Ph 380 V, 50 HZ ± 10 % Output voltage : 3 Ph (0:380 V) Frequency range : 0 : 500 HZ Input signal : 2 × 0 / 4 : 20 mA , start ,stop , increase , decrease,local , remote, forward,reverse , PTC , Output : 2 ×0/4-20 mA , 4 Digital relay 220 VAC 10 A Protection against : O/P over load-short circuit-over &under voltage-over load-Phase failure and unbalance Ambient : 55 C Heavy duty IP 55	756 Edfu	4681
2	1	High torque Frequency converter 110 KW Input volatage : 3 Ph 380 V, 50 HZ ± 10 % Output voltage : 3 Ph (0:380 V) Frequency range : 0 : 500 HZ Input signal : 2 × 0 / 4 : 20 mA , start ,stop , increase , decrease,local , remote, forward,reverse , PTC , Output : 2 ×0/4-20 mA , 4 Digital relay 220 VAC 10 A Protection against : O/P over load-short circuit-over &under voltage-over load-Phase failure and unbalance Ambient : 55 C Heavy duty IP 55	246 Dshna	4681
3	2	High torque Frequency converter 110 KW Input volatage : 3 Ph 380 V, 50 HZ ± 10 % Output voltage : 3 Ph (0:380 V) Frequency range : 0 : 500 HZ Input signal : 2 × 0 / 4 : 20 mA , start ,stop , increase , decrease,local , remote, forward,reverse , PTC , Output : 2 ×0/4-20 mA , 4 Digital relay 220 VAC 10 A Protection against : O/P over load-short circuit-over &under voltage-over load-Phase failure and unbalance Ambient : 55 C Heavy duty IP 55	220 Qous	4681
4	1	High torque Frequency converter 110 KW Input volatage : 3 Ph 380 V, 50 HZ ± 10 % Output voltage : 3 Ph (0:380 V) Frequency range : 0 : 500 HZ Input signal : 2 × 0 / 4 : 20 mA , start ,stop , increase , decrease,local , remote, forward,reverse , PTC , Output : 2 ×0/4-20 mA , 4 Digital relay 220 VAC 10 A Protection against : O/P over load-short circuit-over &under voltage-over load-Phase failure and unbalance Ambient : 55 C Heavy duty IP 55	236 K.O	4321
5	1	High torque(100:170% TN) Frequency converter 110 KW Input volatage : 3 Ph 380 V, 50 HZ Output voltage : 3 Ph (0:380 V) Frequency range : 0 : 500 HZ Input signal : 2 × 0 / 4 : 20 mA , start ,stop , increase , decrease,local , remote, forward,reverse , PTC , Output : 2 ×0/4-20 mA , 4 Digital relay 220 VAC 10 A Protection against : O/P over load-short circuit-over &under voltage-over load-Phase failure and unbalance Ambient : 55 C Heavy duty IP 55	920 NH	New
6	2	High torque(100:170% TN) Frequency converter 110 KW Input volatage : 3 Ph 380 V, 50 HZ Output voltage : 3 Ph (0:380 V) Frequency range : 0 : 500 HZ Input signal : 2 × 0 / 4 : 20 mA , start ,stop , increase , decrease,local , remote, forward,reverse , PTC , Output : 2 ×0/4-20 mA , 4 Digital relay 220 VAC 10 A Protection against : O/P over load-short circuit-over &under voltage-over load-Phase failure and unbalance Ambient : 55 C Heavy duty IP 55	434 K.O	New
7	1	High torque Frequency converter 110 KW Input volatage : 3 Ph 380 V, 50 HZ ± 10 % Output voltage : 3 Ph (0:380 V) Frequency range : 0 : 500 HZ Input signal : 2 × 0 / 4 : 20 mA , start ,stop , increase , decrease,local , remote, forward,reverse , PTC , Output : 2 ×0/4-20 mA , 4 Digital relay 220 VAC 10 A Protection against : O/P over load-short circuit-over &under voltage-over load-Phase failure and unbalance Ambient : 55 C Heavy duty IP 55	312 Dshna	New
8	2	REMIO-01 For ACS 800 frequency converter	310 Dshna	New
9	1	Main cooling Fan for ABB AC Drive Drive Specification:- ACS880-01-206A-3 Frame Size : R7 Cooling fan specification :- Nidec servo corporation Model : D17510248EPF330 Code no. : 8G04 DC volt : 24 V Amp : 3.4 A Type : Axial fan	830 Edfu	New

10	1	High torque Frequency converter 110 KW Input volatage : 3 Ph 380 V, 50 HZ \pm 10 % Output voltage: 3 Ph (0:380 V) Frequency range : 0 : 500 HZ input signal: 2 x 0 / 4 : 20 mA , start ,stop , increase , decrease,local , remote, forward,reverse , PTC , Output : 2 x0/4-20 mA , 4 Digital relay 220 VAC 10 A Protection against : O/P over load-short circuit-over &under voltage-over load-Phase failure and unbalance Ambient : 55 C Heavy duty IP 55 C/W Panel IP 55 with Circuit breaker - main contactor - Cooling fan	185 Armant	New
11	2	Frequency converter 3 hP Input volatage : 380 /220 V 50 HZ \pm 10 % Output voltage : 3 Ph (0:380 V)	109 K.O wood	New
12	1	Frequency converter 3 hP Input volatage : 380 V 50 HZ \pm 10 % Output voltage : 3 Ph (0:380 V) Power : 22 K.W 3DI: start-increase-decrease 2DO: ready -Run	742 A.K	New

General conditions :

- *Payment condition 80 % at delivery 20 % After start up
- * The Suplier should be Manufacture - Agent - Distributor
- * All Drives Should be IP 55
- * all Converter configuration via Integral Key pad
- * all conveter have display not less than two lines speed ,frequency, current etc....
- * guarantee certificate from factory should be supplied in the name of ESIC
- * commissioning and start up should be done by the supplier in our factory (transportation on Suplier Acomodation on ESIC
- * Converter should be ABB ACS880, Siemens , Shnider ATV950 , Yaskawa ,